

The Lab Modular System

Innovative Modular Repair System for Optical Practices and Laboratories



September
2014
54 new products



A w a r d s



product
design
award

2010 ■



NOMINEE

centrostyle®
around people

Self-aligning screws

Stainless Steel Self-Aligning screws



FOR RIM LOCKING BLOCKS AND TEMPLE HINGES 100 pcs.



Ref. 00282	00282G	1,4 mm. M1,0 2,5 mm.
Ref. 00270		1,8 mm. M1,2 4,8 mm.
Ref. 00272		1,8 mm. M1,4 2,8 mm.
Ref. 00273		1,8 mm. M1,4 3,5 mm.
Ref. 00274		1,8 mm. M1,4 4,8 mm.




FOR METAL SIDES 100 pcs.

100 pcs.



Ref. 00284	00284B	00284G	2,0 mm. M1,2 3,1 mm.
Ref. 00286	00286B	00286G	2,0 mm. M1,2 3,5 mm.
Ref. 00287	00287B	00287G	2,0 mm. M1,2 4,0 mm.
Ref. 00280	00280B		2,0 mm. M1,2 4,5 mm.
Ref. 00289	00289B	00289G	2,0 mm. M1,4 3,1 mm.
Ref. 00290	00290B	00290G	2,0 mm. M1,4 3,5 mm.
Ref. 00291	00291B	00291G	2,0 mm. M1,4 4,0 mm.
Ref. 00288	00288B		2,0 mm. M1,4 4,5 mm.
Ref. 00281	00281B		2,0 mm. M1,4 5,1 mm.
Ref. 00299			2,0 mm. M1,4 5,6 mm.

NEW




FOR PLASTIC SIDES 100 pcs.

100 pcs.



Ref. 00292			2,0 mm. M1,6 3,5 mm.
Ref. 00294			2,5 mm. M1,4 6,5 mm.
Ref. 00297			2,5 mm. M1,6 6,5 mm.



SCREWS FOR REPAIRS 100 pcs.

100 pcs.



Ref. 00283	00283B	2,0 mm. M1,3 3,5 mm.
Ref. 00278	00278B	2,0 mm. M1,3 4,0 mm.
Ref. 00279		2,0 mm. M1,3 4,5 mm.
Ref. 00285	00285B	2,0 mm. M1,5 3,5 mm.
Ref. 00277		2,0 mm. M1,5 4,5 mm.

NEW

NEW

NEW

Aligns itself when you place-in.
Snap-off the end when in place.



Ref. 01530

SELF-ALIGNING SCREW KIT

1000 assorted screws including
the following models:
Ref. 280, 281, 283, 284, 286, 287, 288,
289, 290, 291 - 10 Ref. x 100 pcs./Ref.

Tray included, suitable
for new LMS Cube.

Self-aligning screws


Stainless Steel Self-Aligning screws with Teflon coating










Teflon coating helps to block and secure the thread components thus avoiding the loosening of screws and nuts.



FOR METAL AND PLASTIC SIDES

25 pcs.



	Ref. 00284L	2,0 mm. M1,2 3,1 mm.	NEW
	Ref. 00286L	2,0 mm. M1,2 3,5 mm.	NEW
	Ref. 00287L	2,0 mm. M1,2 4,0 mm.	NEW
	Ref. 00280L	2,0 mm. M1,2 4,5 mm.	NEW
	Ref. 00289L	2,0 mm. M1,4 3,1 mm.	NEW
	Ref. 00290L	2,0 mm. M1,4 3,5 mm.	NEW
	Ref. 00291L	2,0 mm. M1,4 4,0 mm.	NEW
	Ref. 00288L	2,0 mm. M1,4 4,5 mm.	NEW
	Ref. 00281L	2,0 mm. M1,4 5,1 mm.	NEW

Ref. 01530L

SELF-ALIGNING SCREW KIT WITH TEFLON COATING

150 assorted screws including the following models:

Ref. 286L, 287L, 288L, 289L, 290L, 291L - 6 Ref. x 25 pcs./Ref.


Tray included, suitable for new LMS Cube.

Spring Assembly

SPRING HINGE ASSEMBLY 10 pcs.

100 pcs.



	For flex sides 2,6 mm width Ref. 00254 1,2 mm. 10 pcs.		Retaining screw for Ref. 00254 Ref. 00295 1,5 mm. M1,0 1,2 mm. 100 pcs.
	For flex sides 3,0 mm width Ref. 00250 1,2 mm. 10 pcs.		Retaining screw for Ref. 00250 e 00252 Ref. 00296 1,8 mm. M1,2 1,3 mm. 100 pcs.
	For flex sides 3,5 mm width Ref. 00252 1,5 mm. 10 pcs.		
	For flex sides 3,0 mm width Ref. 00251 1,2 mm. 10 pcs. Length 15 mm		
	For flex sides 3,5 mm width Ref. 00253 1,3 mm. 10 pcs. Length 19 mm		


Special Stainless Steel Screws

Self-tapping and repair screws - Lens testing screw



SELF-TAPPING SCREWS

50 pcs.



Ref. 00432

2,0 mm. M1,4 5,7 mm.



Ref. 00431 Oversized continuous thread

2,0 mm. M1,5 7,3 mm.

SCREWS FOR REPAIRS M1,3

100 pcs.



Ref. 00376

1,8 mm. M1,3 4,5 mm.



Ref. 00397

1,8 mm. M1,3 6,0 mm.



Ref. 00399

2,5 mm. M1,3 5,7 mm.

NEW

SCREWS FOR REPAIRS M1,5

100 pcs.



Ref. 00331

1,8 mm. M1,5 5,2 mm.



Ref. 00337

1,8 mm. M1,5 8,5 mm.



Ref. 00389

2,5 mm. M1,5 4,7 mm.



Ref. 00390

2,5 mm. M1,5 5,7 mm.



Ref. 00333

2,5 mm. M1,5 8,5 mm.

50 pcs. L = with thread lock



Ref. 00389L
with thread lock

NEW

NEW

SELF-TAPPING FOR PLASTIC HINGES

100 pcs.



Ref. 00220

2,0 mm. M1,4 7,8 mm.



Ref. 00221 Half thread

2,0 mm. M1,4 10,8 mm.

LENS TESTING SCREW

2 pcs.



Ref. 00428

M1,4 11,5 mm.



To verify correct lens size.



Ref. 01544

KIT OF STAINLESS STEEL SELF-TAPPING AND REPAIR SCREWS

650 assorted screws including the following models:

Ref. 431, 432 - 2 Ref. x 50 pcs./Ref.

Ref. 331, 333, 389, 390, 397, 399 -

6 Ref. x 100 pcs./Ref.

Tray included, suitable for new LMS Cube.

Supra Nylon Cords and Plastic Strip

For supra frames assembly

CLEAR SUPRA NYLON CORDS

ROUND

5 mt.



Ref. 01232 Ø 0,4 mm

Ref. 01235 Ø 0,5 mm

Ref. 01233 Ø 0,6 mm

Ref. 01234 Ø 1,0 mm

For metal and plastic frames

FIGURE "8"

4 mt.



Ref. 01242


For metal frames

FIGURE "T"


2 mt.



Ref. 01243



Ref. 01244




For metal and plastic frames

SILICONE GASKET FOR AIR-RIM

ROUND Ø 26,5 mm

NEW 20 pcs.



Ref. 01263
Clear

01261
Red

01262
Blue

01264
Black

PLASTIC STRIP FOR SUPRA FRAMES ASSEMBLY

50 pcs.



Ref. 01249

Non-slip material
L = 75x5 mm



Nylon Holding Plier 03465
to pull the nylon liner



Nylon Press-in Plier
Ref. 03470 to press
in the figure "8" liner



Mounting Hook Ref. 03480
To insert the liner into the
groove of the lens



Plastic strip Ref. 01249
to insert the liner into
the lens groove



Ref. 01870

SUPRA KIT

- Supra nylon cord Ø 0,5 mm clear Ref. 01235
- "Figure 8" Supra Liner clear. Ref. 01242
- "Figure T" Supra Liner clear. Ref. 01243
- Nylon Holding Plier Ref. 03465
- Nylon Press-in Plier Ref. 03470
- Mounting Hook Ref. 03480

Tray included, suitable for new LMS Cube.

Special Rimless Parts

Plastic Double Sleeves

DOUBLE SLEEVE



DOUBLE

50 pcs.

-20% 300 pcs.



	Ref. 00454	Medium Soft	Ref. 00454K	3,0 mm.	1,4 mm.	7,4 mm.
	Ref. 00454S	Soft	Ref. 00454SK	3,0 mm.	1,4 mm.	7,2 mm.
	Ref. 00454H	Hard	Ref. 00454HK	3,0 mm.	1,4 mm.	7,2 mm.
	Ref. 00449	Medium Hard	Ref. 00449K	3,0 mm.	1,5 mm.	7,4 mm.
	Ref. 00449S	Soft		3,0 mm.	1,5 mm.	7,4 mm.
	Ref. 00468	Medium Hard		3,0 mm.	1,6 mm.	7,0 mm.
	Ref. 00440	Soft		3,0 mm.	1,8 mm.	7,2 mm.
	Ref. 00457	Medium Hard		3,0 mm.	2,0 mm.	7,4 mm.

NEW

HOLLOW

50 pcs.




-20% 300 pcs.



	Ref. 00460	Hard	Ref. 00460K	3,0 mm.	1,4 mm.	7,4 mm.
	Ref. 00460S	Soft		3,0 mm.	1,4 mm.	7,4 mm.
	Ref. 00466	Hard		3,0 mm.	1,5 mm.	7,0 mm.
	Ref. 00461	Hard	Ref. 00461K	2,9 mm.	1,45 mm.	7,8 mm.

NEW

HOLLOW DOUBLE SLEEVE Ideal for thin lenses



Plastic Single Sleeves

SINGLE

50 pcs.



	Ref. 00446	Medium Hard		1,5 mm.	5,0 mm.
--	-------------------	-------------	--	---------	---------

HOLLOW


50 pcs.



	Ref. 00462	Medium Hard		1,6 mm.	7,3 mm.
	Ref. 00463	Medium Hard		2,2 mm.	7,4 mm.

Stainless Steel Bridges for Rimless

Bridges for Plastic Double Sleeves






STAINLESS STEEL BRIDGES

2 pcs.



	Ref. 00542 Gold	3,0 mm. 1,15 mm.	NEW
	Ref. 00543 Silver	3,0 mm. 1,15 mm.	NEW
	Ref. 00544 Gun Metal	3,0 mm. 1,15 mm.	NEW
	Ref. 00545 Black	3,0 mm. 1,15 mm.	NEW
	Ref. 00546 Blue	3,0 mm. 1,15 mm.	NEW

EXAMPLE OF ASSEMBLY



PVC Nose Pads with Metal Insert

Semi hard - long lasting -  fixing

D-SHAPE



20 pcs.



-20% 100 pcs.

Screw Ref. 00341



-20% 100 pcs.

Clear
Silver insert
Ref. 00570
14,5 mm

Ref. 00570H

Clear
Gold insert
Ref. 00567
14,5 mm

Ref. 00567H

Ref. 00572
18,5 mm

Ref. 00572H

Ref. 00573
18,5 mm

Ref. 00576
20,0 mm

SYMMETRICAL



20 pcs.



-20% 100 pcs.

Screw Ref. 00341



-20% 100 pcs.

Clear
Silver insert
Ref. 00560
12,0 mm

Ref. 00560H

Clear
Gold insert
Ref. 00579
12,0 mm

NEW

Ref. 00581
13,0 mm

Ref. 00581H

Ref. 00587
13,0 mm

Ref. 00587H

NEW

Ref. 00584
15,0 mm

Ref. 00584H

Ref. 00589
15,0 mm

Ref. 00589H

NEW

Ref. 00568
17,5 mm

Ref. 00568H

Ref. 00564
17,5 mm

STRAP BRIDGES



10 pcs.

Screw Ref. 00341



Clear
Silver insert
Ref. 00580
JUNIOR
28 mm

Clear
Silver insert
Ref. 00582
MEDIUM
33 mm



PVC



Ref. 01818

PVC SCREW-IN NOSE PAD KIT
200 assorted nose pads including
the following models:
Ref. 560, 564, 567, 568, 570, 579, 572,
573, 576, 581
10 Ref. x 20 pcs./Ref.

Tray included, suitable for
new LMS Cube.

PVC Nose Pads with Metal Insert

Semi hard - long lasting -  fixing


D-SHAPE

  20 pcs.  -20% 100 pcs.



SYMMETRICAL

  20 pcs.  -20% 100 pcs.



STRAP BRIDGES

  10 pcs.




PVC



Ref. 01820

PVC PUSH-ON NOSE PAD KIT
100 assorted nose pads including the following models:
Ref. 561, 585, 586, 588, 594
5 Ref. x 20 pcs./Ref.

Tray included, suitable for new LMS Cube.

Metal Flex Templates

Integrated spring hinge - Nickel protection - 0,6 mm joint

ULTRA THIN

2,0 mm  0,6 mm 2,2 mm 140 mm  Ref. 272  6 pcs.



THIN

2,2 mm  0,6 mm 2,2 mm 140 mm  Ref. 272  6 pcs.



MEDIUM

3,0 mm  0,6 mm 2,2 mm 140 mm  Ref. 289  6 pcs.




Metal Flex Templates

Integrated spring hinge - Nickel protection - 0,8 mm joint

ULTRA THIN 2,15 mm 0,8 mm 2,3 mm 140 mm Ref. 272 2 pcs.



THIN 2,3 mm 0,8 mm 2,3 mm 140 mm Ref. 272 6 pcs. **NEW**



THIN 2,6 mm 0,8 mm 2,2 mm 140 mm Ref. 272 6 pcs.



Ref. 01865

METAL TEMPLATE KIT

60 assorted pieces including the following models:

Ref. 1145, 1146, 1151, 1153, 1156, 1158, 1160, 1161, 1166, 1165

10 Ref. x 6 pcs./Ref.

Tray included, suitable for new LMS Cube.



Metal Flex Templates

Integrated spring hinge - Nickel protection - Joint 0,8 - 0,9 mm

MEDIUM

3,0 mm  0,8 mm  2,2 mm  140 mm  Ref. 289  6 pcs.



MEDIUM

3,5 mm  0,8 mm  2,2 mm  140 mm  Ref. 290  6 pcs.



THIN

3,0 mm  0,9 mm  2,3 mm  140 mm  Ref. 383  6 pcs.



NEW

Metal Flex Templates

■ Replaceable spring hinge - Nickel protection - Joint 1,0 - 1,2 - 1,5 mm

THIN

2,6 mm  1,0 mm  2,6 mm  140 mm  Ref. 272  6 pcs.


NEW



THIN

2,6 mm  1,2 mm  2,6 mm  140 mm  Ref. 272  6 pcs.

NEW



MEDIUM

3,0 mm  1,2 mm  3,0 mm  140 mm  Ref. 289  6 pcs.

NEW



MEDIUM

3,5 mm  1,5 mm  3,5 mm  140 mm  Ref. 290  6 pcs.

NEW



Aste flex - Snodo 1,0-1,2-1,5 mm

■ Replaceable spring hinge - Nickel protection - Joint 1,0 - 1,2 - 1,5 mm

THIN

2,6 mm  1,0 mm  2,0 mm  135 mm  Ref. 272  2 pcs.



THIN

2,7 mm  1,2 mm  3,0 mm  135 mm  Ref. 272  2 pcs.



MEDIUM

3,0 mm  1,2 mm  3,0 mm  145 mm  Ref. 289  2 pcs.



MEDIUM

3,5 mm  1,5 mm  3,0 mm  145 mm  Ref. 290  2 pcs.



Marker Pens and Ink

■ To mark lenses

■ WATERPROOF PERMANENT MARKER PENS FOR NORMAL LENSES



Ref. 06950

Red, extra-fine 0.4 mm
5 pcs.

Ref. 06952

Black, extra-fine 0.4 mm
5 pcs.

Ref. 06960

Red, fine 0.6 mm
5 pcs.

Ref. 06962

Black, fine 0.6 mm
5 pcs.



■ SPECIAL MARKERS



FOR TEFLON® COATED LENSES / SUPER-HYDROPHOBIC

Ref. 06964

Black, extra-fine 0.4 mm
5 pcs.


Ref. 06965

Black, fine 0.6 mm
5 pcs.

NEW

Ref. 06966

Red, fine 0.6 mm
5 pcs.



WATER SOLUBLE NON PERMANENT MARKER

Ref. 06970

Black, extra-fine 0.4 mm
Ideal to mark Press-On™.
5 pcs.



■ INK FOR CENTERING DEVICES



LAQUER FILLED PEN

Ref. 06967

White, medium 0.8 mm
Prevents light transmission
2 pcs.

INK FOR LENS METERS

Ref. 06982

Red 40 ml
1 pc.



Double Display Reading Chart

Testing distance: 40 cm - With LED illumination



Display B

Display A

NEW

Ref. 08420

Rear LED illuminated reading chart, ideal to determine presbyopia.

Double sided display with the following tests:

- Display A:
 - letters with ETDRS chart
 - DECIMAL and logMAR notation, fraction 6 m – 20 ft.
- Display B:
 - numbers and E chart with DECIMAL and logMAR notation, fraction 6 m - 20 ft.
 - clock dial astigmatism test
 - cross cylinder test
 - duochrome test.

Technical features:

- Button for two different light intensities
- Testing distance: 40 cm
- Powered by any of the following:
 - Power adaptor
 - 3.7V lithium battery (included)
 - USB cable for connection to PC.

Included:

- 1 reading chart 40 cm
- 1 inclinable base for reading chart with 40 cm distancing cord
- 1 USB cable for connection to PC
- 1 power adaptor with USB port
- 1 lithium battery 3.7V

Dimensions: 185 x 115 x 11 mm

Weight: 230 g

